


Sechskantmuttern

Šest'hranná matica

DIN

555



5		
FESTIGKEIT		
OBERFLÄCHE		
blank	verz.	fzn.

d	d w	e	m	s	blank	verzinkt	feuerverzinkt
M 3	4,5	6,01	2,4	5,5	LG	LG	
M 4	5,8	7,66	3,2	7	LG	LG	
M 5	6,7	8,63	4	8	LG	LG	
M 6	8,7	10,89	5	10	LG	LG	
M 7	9,5	12,12	5,5	11	LG	LG	
M 8	11,5	14,2	6,5	13	LG	LG	LG
M 10	15,5	18,72	8	17	LG	LG	LG
M 12	17,2	20,88	10	19	LG	LG	LG
M 14	20,2	24,49	11	22	LG	LG	
M 16	22	26,17	13	24	LG	LG	LG
M 18	25,3	29,56	15	27	LG	LG	
M 20	27,7	32,95	16	30	LG	LG	LG
M 22	29,5	35,03	18	32	LG	LG	LG
M 24	33,2	39,55	19	36	LG	LG	LG
M 27	38	45,2	22	41	LG	LG	LG
M 30	42,7	50,85	24	46	LG	LG	LG
M 33	46,5	55,37	26	50	LG		
M 36	51,1	60,79	29	55	LG		LG
M 39	55,9	66,44	31	60	LG		
M 42	59,9	71,3	34	65	LG		
M 45	64,7	76,95	36	70	LG		
M 48	69,4	82,6	38	75	LG		
M 52	74,2	88,25	42	80	LG		
M 56	78,7	93,56	45	85	LG		
M 60	83,4	99,23	48	90	LG		
M 64	88,2	104,86	51	95	LG		