


PLOCHÁ HLAVA/DOME HEAD



MATERIÁL/MATERIAL


Driek/Body Hliník AlMg 3,5 %/5050 Alu. Alloy
Tříř/Mandrel Oceľ/Steel

ÚPRAVA/FINISH

Driek/Body Lesklý/Polished
Tříř/Mandrel Pozinkovaný/Zinc Plated

D	L [+1/-0,2]	Rozsah Grip Range	d ¹	K	Vrtanie Drill	P Min.	dm Ref.	Strih Shear	Ťah Tensile
mm	mm	mm	mm	mm	mm	mm	mm	N	N
2,4 +0,08 -0,10	4,0	0,5-2,0	5,0 +0,0 -0,7	0,65 ±0,2	2,5	27	1,40	180	280
	6,0	2,0-4,0							
	8,0	4,0-6,0							
	10,0	6,0-8,0							
	12,0	8,0-10,0							
3,0 +0,08 -0,10	6,0	1,0-3,5	6,5 +0,0 -0,7	0,80 ±0,3	3,1	27	1,78	300	400
	8,0	3,5-5,5							
	10,0	5,5-7,0							
	12,0	7,0-9,0							
	14,0	9,0-11,0							
	16,0	11,0-13,0							
	18,0	13,0-15,0							
20,0	15,0-17,0								
3,2 +0,08 -0,10	6,0	1,0-3,5	6,5 +0,0 -0,7	0,80 ±0,3	3,3	27	1,78	400	500
	8,0	3,5-5,5							
	10,0	5,5-7,0							
	12,0	7,0-9,0							
	14,0	9,0-11,0							
	16,0	11,0-13,0							
	18,0	13,0-15,0							
20,0	15,0-17,0								
25,0	17,0-22,0								
4,0 +0,08 -0,15	6,0	1,0-3,0	8,0 +0,0 -1,0	1,0 ±0,3	4,1	27	2,18	800	1000
	8,0	3,0-5,0							
	10,0	5,0-6,5							
	12,0	6,5-8,5							
	14,0	8,5-10,5							
	16,0	10,5-12,5							
	18,0	12,5-14,5							
	20,0	14,5-16,5							
	25,0	16,5-21,5							
30,0	21,5-26,0								
35,0	26,0-30,0								
4,8 +0,08 -0,15	6,0	1,5-2,5	9,5 +0,0 -1,0	1,1 ±0,4	4,9	27	2,70	1000	1200
	8,0	2,5-4,0							
	10,0	4,0-6,0							
	12,0	6,0-8,0							
	14,0	8,0-10,0							

PLOCHÁ HLAVA/DOME HEAD





MATERIÁL/MATERIAL


Driek/Body Hliník AlMg 3,5 %/5050 Alu. Alloy
Tříř/Mandrel Oceľ/Steel

ÚPRAVA/FINISH

Driek/Body Lesklý/Polished
Tříř/Mandrel Pozinkovaný/Zinc Plated

D	L [+1/-0,2]	Rozsah Grip Range  mm	d ¹	K	Vrtanie Drill  mm	P Min.	dm Ref.	Strih Shear N	Ťah Tensile N
4,8 +0,08 -0,15	16,0	10,0-12,0	9,5 +0,0 -1,0	1,1 ±0,4	4,9	27	2,70	1 000	1 200
	18,0	12,0-14,0							
	20,0	14,0-16,0							
	25,0	16,0-21,0							
	30,0	21,0-25,0							
	35,0	25,0-30,0							
5,0 +0,08 -0,15	6,0	1,5-2,5	9,5 +0,0 -1,0	1,1 ±0,4	5,1	27	2,70	1 100	1 250
	8,0	2,5-4,5							
	10,0	4,5-6,0							
	12,0	6,0-8,0							
	14,0	8,0-10,0							
	16,0	10,0-12,0							
	18,0	12,0-14,0							
	20,0	14,0-16,0							
	25,0	16,0-20,0							
	30,0	20,0-25,0							
6,0 +0,08 -0,15	8,0	2,0-3,0	12 +0,0 -1,5	1,5 ±0,4	6,1	31	3,70	1 400	2 000
	10,0	3,0-5,0							
	12,0	5,0-7,0							
	14,0	7,0-9,0							
	16,0	9,0-11,0							
	18,0	11,0-13,0							
	20,0	13,0-15,0							
	25,0	15,0-20,0							
6,4 +0,08 -0,15	10,0	3,0-4,0	13 +0,0 -1,5	1,8 ±0,4	6,5	31	3,70	1 500	2 100
	12,0	4,0-6,0							
	14,0	6,0-8,0							
	16,0	8,0-10,0							
	18,0	10,0-12,0							
	20,0	12,0-14,0							
	25,0	14,0-18,0							
	30,0	18,0-23,0							
	35,0	23,0-28,0							
40,0	28,0-33,0								

PLOCHÁ HLAVA/DOME HEAD



MATERIÁL/MATERIAL


Driek/Body Oceľ/Steel
Tříř/Mandrel Oceľ/Steel

ÚPRAVA/FINISH

Driek/Body Pozinkovaný/Zinc Plated
Tříř/Mandrel Pozinkovaný/Zinc Plated

D	L [+1/-0,2]	Rozsah Grip Range	d ¹	K	Vrtanie Drill	P Min.	dm Ref.	Strih Shear	Ťah Tensile
mm	mm	mm	mm	mm	mm	mm	mm	N	N
3,0 +0,08 -0,10	6,0	1,0-3,0	6,5 +0,0 -0,7	0,80 ±0,2	3,1	27	1,92	850	1 100
	8,0	3,0-5,0							
	10,0	5,0-7,0							
	12,0	7,0-9,0							
	14,0	9,0-10,0							
16,0	11,0-13,0								
3,2 +0,08 -0,10	6,0	1,0-3,0	6,5 +0,0 -0,7	0,80 ±0,3	3,3	27	1,92	1 160	1 380
	8,0	3,0-5,0							
	10,0	5,0-7,0							
	12,0	7,0-9,0							
	14,0	9,0-11,0							
16,0	11,0-13,0								
4,0 +0,08 -0,15	6,0	1,0-3,0	8,0 +0,0 -1,0	1,0 ±0,4	4,1	27	2,42	1 700	2 200
	8,0	3,0-5,0							
	10,0	5,0-6,5							
	12,0	6,5-8,5							
	14,0	8,5-10,5							
	16,0	10,5-12,5							
	18,0	12,5-14,5							
	20,0	14,5-16,5							
	25,0	16,5-21,5							
30,0	21,5-26,0								
4,8 +0,08 -0,15	6,0	1,5-2,5	9,5 +0,0 -1,0	1,1 ±0,4	4,9	27	2,92	2 400	3 100
	8,0	2,5-4,0							
	10,0	4,0-6,0							
	12,0	6,0-8,0							
	14,0	8,0-10,0							
	16,0	10,0-11,5							
	18,0	11,5-13,5							
	20,0	13,5-15,0							
	22,0	15,0-17,0							
25,0	17,0-20,0								
30,0	20,0-25,0								

PLOCHÁ HLAVA/DOME HEAD



MATERIÁL/MATERIAL


Driek/Body Oceľ/Steel
Tříř/Mandrel Oceľ/Steel

ÚPRAVA/FINISH

Driek/Body Pozinkovaný/Zinc Plated
Tříř/Mandrel Pozinkovaný/Zinc Plated

D	L [+1/-0,2]	Rozsah Grip Range	d ¹	K	Vřtanie Drill	P Min.	dm Ref.	Strih Shear	Ťah Tensile
mm	mm	mm	mm	mm	mm	mm	mm	N	N
5,0 +0,08 -0,15	8,0	2,5-4,0	9,5 +0,0 -1,0	1,1 ±0,3	5,1	27	2,92	2600	4000
	10,0	4,0-6,0							
	12,0	6,0-8,0							
	14,0	8,0-10,0							
	16,0	10,0-11,5							
	18,0	11,5-13,0							
	20,0	13,0-15,0							
25,0	15,0-20,0								
30,0	20,0-25,0								
6,0 +0,08 -0,15	10,0	3,0-4,0	12 +0,0 -1,5	1,5 ±0,4	6,1	31	3,72	4300	5000
	12,0	4,0-6,0							
	15,0	6,0-9,0							
	18,0	10,0-12,5							
	20,0	12,5-14,0							
	25,0	14,0-19,0							
30,0	19,0-24,0								
6,4 +0,08 -0,15	12,0	3,0-6,0	13 +0,0 -1,5	1,8 ±0,4	6,5	31	3,80	4500	5700
	15,0	6,0-9,0							
	18,0	9,0-12,0							
	20,0	12,0-14,0							
	22,0	14,0-16,0							
	25,0	16,0-19,0							
30,0	19,0-24,0								

PLOCHÁ HLAVA/DOME HEAD





MATERIÁL/MATERIAL


Driek/Body Antikorózná oceľ/Stainless Steel
Tříř/Mandrel Antikorózná oceľ/Stainless Steel

ÚPRAVA/FINISH

Driek/Body Lesklý/Polished
Tříř/Mandrel Lesklý/Polished

D	L [+1/-0,2]	Rozsah Grip Range  mm	d ¹ mm	K Max. mm	Vrtanie Drill  mm	P Min. mm	dm Ref. mm	Strih Shear N	Ťah Tensile N							
3,0 +0,08 -0,10	6,0	1,0-3,0	6,5 +0,0 -0,7	0,80 ±0,3	3,1	27	1,95	1 800	2 200							
	8,0	3,0-5,0														
	10,0	5,0-7,0														
	12,0	7,0-9,0														
3,2 +0,08 -0,10	15,0	9,0-12,0	6,5 +0,0 -0,7	0,80 ±0,3	3,3	27	1,95	1 900	2 500							
	14,0	9,0-11,0														
	16,0	11,0-13,0														
	18,0	12,0-14,0														
4,0 +0,08 -0,15	20,0	14,0-16,0	8,0 +0,0 -1,0	1,0 ±0,3	4,1	27	2,42	2 900	3 650							
	25,0	16,0-21,0														
	8,0	1,5-4,0								9,5 +0,0 -1,0	1,1 ±0,4	4,9	27	2,9	4 230	5 340
	10,0	4,0-6,0														
	12,0	6,0-8,0														
	14,0	8,0-9,5														
	16,0	9,5-11,0														
18,0	11,0-13,0															
20,0	13,0-16,0															
22,0	15,0-17,0															
25,0	17,0-20,0															
30,0	20,0-25,0															
35,0	25,0-30,0															
40,0	30,0-35,0															

PLOCHÁ HLAVA/DOME HEAD



MATERIÁL/MATERIAL

Driek/Body Antikorózná oceľ/Stainless Steel
Tříř/Mandrel Antikorózná oceľ/Stainless Steel

ÚPRAVA/FINISH

Driek/Body Lesklý/Polished
Tříř/Mandrel Lesklý/Polished

D	L [+1/-0,2]	Rozsah Grip Range	d ¹	K Max.	Vrtanie Drill	P Min.	dm Ref.	Strih Shear	Ťah Tensile
mm	mm	mm	mm	mm	mm	mm	mm	N	N
5,0 +0,08 -0,15	8,0	1,5-4,0	9,5 +0,0 -1,0	2,5	5,1	27	2,9	4700	5800
	10,0	4,0-6,0							
	12,0	6,0-8,0							
	14,0	8,0-9,5							
	16,0	9,5-11,0							
	18,0	11,0-13,0							
	20,0	13,0-16,0							
25,0	16,0-20,0								
	30,0	20,0-25,0							
6,0 +0,08 -0,15	10,0	3,0-4,0	12 +0,0 -1,5	1,5 ±0,4	6,1	31	3,85	5700	7500
	12,0	4,0-6,0							
	15,0	6,0-9,0							
	18,0	9,0-12,0							
	20,0	10,0-14,0							
	25,0	14,0-19,0							
	30,0	19,0-24,0							
6,4 +0,08 -0,15	12,0	4,0-6,0	13 +0,0 -1,5	1,8 ±0,4	6,5	31	3,85	7570	9350
	15,0	6,0-9,0							
	18,0	9,0-12,0							
	20,0	12,0-14,0							
	25,0	14,0-19,0							
	28,0	19,0-22,0							
	30,0	22,0-24,0							